

Sanivex Multi Kleen Tab Pro



Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Sanivex Multi Kleen Tab Pro

UFI code

JNM9-AKF7-X07X-QNXC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Tab-Concentrate for Sanitary Cleaning for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Street address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email address

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

Sanivex Multi Kleen Tab Pro

Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Eye irritation, hazard category 2

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation

Hazard statements

H319, H335

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

More information

Hazard components for labeling: citric acid

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

Sanivex Multi Kleen Tab Pro

Version number: 3.0
 Issued: 2023-06-23
 Replaces SDS: 2023-04-28



KLEEN
PURGATIS

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-pharse M factor acute M factor chronic	Note
citric acid	77-92-9 201-069-1 01-2119457026-42-xxxx -	60 - 75%	Eye Irrit. 2, STOT SE 3 - resp. tract irrit.	H319, H335 - -	-
sodium carbonate	497-19-8 207-838-8 01-2119485498-19-xxxx 011-005-00-2	5 - 15%	Eye Irrit. 2	H319 - -	-
adipic acid	124-04-9 204-673-3 01-2119457561-38-xxxx 607-144-00-9	5 - 10%	Eye Irrit. 2	H319 - -	-
oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block	196823-11-7 677-779-4 - -	>0.5 - <1%	Eye Irrit. 2	H319 - -	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

Not applicable.

Skin contact

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Sanivex Multi Kleen Tab Pro



Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Consult a physician if necessary.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

Not applicable.

Skin contact

Skin irritation

Eye contact

Eye irritation

Ingestion

Stomach/intestinal disorders

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray, dry powder, foam, carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product.

Sanivex Multi Kleen Tab Pro



Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Dispose of as hazardous waste in compliance with local and national regulations.

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from children. Store in a place accessible by authorized persons only. Keep away from food, drink and animal feeding stuffs. Keep in a dry, cool place.

Storage class according to TRGS 510: 13 (non-combustible solids)

Store in original container.

Storage temperature: 10°C to 40°C

7.3. Specific end use(s)

GISCODE: GS35

See section 1.2: Tab-Concentrate for Sanitary Cleaning

Sanivex Multi Kleen Tab Pro

Version number: 3.0
 Issued: 2023-06-23
 Replaces SDS: 2023-04-28



KLEEN
PURGATIS

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	10 mg/m ³	Workers	Local
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	5 mg/m ³	Consumers	Local
adipic acid (124-04-9/204-673-3)	DNEL	Chronic (long term) Inhalation	74.1 mg/m ³	Workers	Systemic
adipic acid (124-04-9/204-673-3)	DNEL	Chronic (long term) Dermal	21 mg/kg bw/day	Workers	Systemic
adipic acid (124-04-9/204-673-3)	DNEL	Chronic (long term) Inhalation	13 mg/m ³	Consumers	Systemic
adipic acid (124-04-9/204-673-3)	DNEL	Chronic (long term) Dermal	7.5 mg/kg bw/day	Consumers	Systemic
adipic acid (124-04-9/204-673-3)	DNEL	Chronic (long term) Oral	7.5 mg/kg bw/day	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
citric acid (77-92-9/201-069-1)	PNEC	Freshwater	0.44 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Marine water	0.044 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Sewage Treatment Plant	1000 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Sediment (freshwater)	34.6 mg/kg
citric acid (77-92-9/201-069-1)	PNEC	Sediment (marine water)	3.46 mg/kg
citric acid (77-92-9/201-069-1)	PNEC	Soil	33.1 mg/kg
adipic acid (124-04-9/204-673-3)	PNEC	Freshwater	126 µg/l
adipic acid (124-04-9/204-673-3)	PNEC	Intermittent releases (freshwater)	460 µg/l

According to Regulation (EC) No 1907/2006

Sanivex Multi Kleen Tab Pro



Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
adipic acid (124-04-9/204-673-3)	PNEC	Marine water	12.6 µg/l
adipic acid (124-04-9/204-673-3)	PNEC	Sediment (freshwater)	474 µg/kg sediment dw
adipic acid (124-04-9/204-673-3)	PNEC	Sediment (marine water)	47.4 µg/kg sediment dw
adipic acid (124-04-9/204-673-3)	PNEC	Soil	0.0208 mg/kg soil dry weight

8.2. Exposure controls

Appropriate engineering controls

Not required.

Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

Hand protection

Chemical-resistant protective gloves (EN 374)

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable.

Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Tablet

Colour

Red

According to Regulation (EC) No 1907/2006

Sanivex Multi Kleen Tab Pro

Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28



Odour

Fresh scent

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not applicable.

Boiling point or initial boiling point and boiling range

Not applicable.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

No data available

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not determined for the mixture.

pH

3.3

Method

1 % aqueous solution

Kinematic viscosity

Not applicable.

Viscosity, dynamic

Not applicable.

Solubility

Water soluble

Water solubility

completely soluble

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not applicable.

According to Regulation (EC) No 1907/2006

Sanivex Multi Kleen Tab Pro



KLEEN
PURGATIS

Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

Density and/or relative density

Not determined for the mixture.

Relative density

Not determined for the mixture.

Relative vapour density

Not applicable.

Evaporation Rate

Not applicable.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

< 3 %

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

Conductivity : 2,1 mS/cm 1 % aqueous solution

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use.

10.2. Chemical stability

Stable at normal conditions

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from moisture.

Protect from frost.

10.5. Incompatible materials

strong acids and strong bases , Oxidizing agent

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

Sanivex Multi Kleen Tab Pro

Version number: 3.0
 Issued: 2023-06-23
 Replaces SDS: 2023-04-28

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on the available data, the classification criteria are not met.

Toxicology data for the components :

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
citric acid 77-92-9 / 201-069-1	LD50	5.400 mg/kg	Oral	-	mouse	OECD 401	ECHA
citric acid 77-92-9 / 201-069-1	LD50	>2.000 mg/kg	Dermal	-	rat	OECD 402	ECHA
sodium carbonate 497-19-8 / 207-838-8	LD50	2.800 mg/kg	Oral	-	rat	-	-
sodium carbonate 497-19-8 / 207-838-8	LD50	>2.000mg/kg	Dermal	-	rabbit	-	-
sodium carbonate 497-19-8 / 207-838-8	LC50	2.300 mg/m ³	Inhalativ	2h	rat	-	-
adipic acid 124-04-9 / 204-673-3	LD50	5560 mg/kg	Oral	-	rat	OECD 401	ECHA
adipic acid 124-04-9 / 204-673-3	LC0	>7,7 mg/l	Inhalativ	4h	rat	OECD 403	ECHA
oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block 196823-11-7 / 677-779-4	LD50	> 2.000 mg/kg	Oral	-	rat	OECD 423	-

Skin corrosion/irritation

Based on the available data, the classification criteria are not met.

Sanivex Multi Kleen Tab Pro

Version number: 3.0
 Issued: 2023-06-23
 Replaces SDS: 2023-04-28



Serious eye damage/irritation

Eye irritation, hazard category 2
 Causes serious eye irritation.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Genotoxicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation
 May cause respiratory irritation.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
citric acid 77-92-9 / 201-069-1	LC50	440 mg/l	48 h	Leuciscus idus	OECD 203	ECHA
sodium carbonate	LC50	300 mg/l	96h	Lepomis macrochirus	-	-

According to Regulation (EC) No 1907/2006

Sanivex Multi Kleen Tab Pro

Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
497-19-8 / 207-838-8						
oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block 196823-11-7 / 677-779-4	LC50	>1 - 10 mg/l	96h	Brachydanio rerio	OECD 203	-
adipic acid 124-04-9 / 204-673-3	LC0	>1.000 mg/l	96h	Danio rerio	-	ECHA

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
adipic acid 124-04-9 / 204-673-3	ErC50	59 mg/l	72h	Pseudokirchneriella subcapitata	OECD 201	ECHA

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
citric acid 77-92-9 / 201-069-1	LC50	1.535 mg/l	24 h	Daphnia magna	-	ECHA
sodium carbonate 497-19-8 / 207-838-8	EC50	200-227 mg/l	48h	Ceriodaphnia dubia	-	-
adipic acid 124-04-9 / 204-673-3	LC50	46 mg/l	48h	Daphnia magna	OECD 202	ECHA

Micro-/macro organism toxicity

Sanivex Multi Kleen Tab Pro

Version number: 3.0
 Issued: 2023-06-23
 Replaces SDS: 2023-04-28



KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block 196823-11-7 / 677-779-4	EC20	>10 - 100 mg/l	30 min	Activated sludge	OECD 209

Chronical toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
adipic acid 124-04-9 / 204-673-3	NOEC	6,3 mg/l	21 d	Daphnia magna	OECD 211	ECHA

12.2. Persistence and degradability

Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

According to Regulation (EC) No 1907/2006

Sanivex Multi Kleen Tab Pro

Version number: 3.0
 Issued: 2023-06-23
 Replaces SDS: 2023-04-28



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging : Dispose of as unused product.

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3. Transport hazard class(es)

Label

Not classified as dangerous in the meaning of transport regulations.

14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5. Environmental hazards

Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

Other

Not applicable

Sanivex Multi Kleen Tab Pro



Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5% non-ionic surfactants, polycarboxylates, phosphonates,
Contains: perfumes

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable

Substances on the REACH candidate list (SVHC): not applicable

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Adjustment of the product formulation (see section 3).

Classification and labelling

Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR - Accord relatif au transport international des marchandises Dangereuses par Route

CAS - Chemical Abstract Service

According to Regulation (EC) No 1907/2006

Sanivex Multi Kleen Tab Pro



Version number: 3.0
Issued: 2023-06-23
Replaces SDS: 2023-04-28

CLP - Classification, Labelling and Packaging
DMEL - Derived Minimum Effect Level
DNEL - Derived no effect level
EC50 - Half maximal effective concentration 50%
GHS - Globally Harmonised System
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
LC50 - Lethal concentration 50%
LD50 - Lethal dosis 50 %
MARPOL - International Convention for the Prevention of Pollution from Ships
PBT - Persistent, bioaccumulative and toxic substance
PEC - Predicted Environmental Concentration
PNEC - predicted no effect concentration
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals
RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses
SVHC - Substance of very high concern
vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers
ECHA C&L - Inventory
Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
Health hazards: calculation method

Phrase meaning

Eye Irrit. 2 - Eye irritation, hazard category 2
STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.