

Technical Datasheet

Nitrile gloves Safe Fit | powder-free



Art.no.: 26108

Basic-UDI: 40155440110GP

Product image



Product specifications

- disposable gloves made of very light nitrile
- pleasantly soft, fully anatomic fit
- excellent tactile sensitivity for precise work
- grippy due to textured surface
- powder-free, rolled cuff, non-sterile, ambidextrous fit
- free of latex-allergy causing proteins

Area of application

- for food processing, gastronomy, laboratory, industry and medical purposes

Specification

Colour	blue
Size	10/XL
Length	24cm
PU	dispenser box (200 pcs.)

Technical Datasheet

Nitrile gloves Safe Fit | powder-free



Art.no.: 26108

Basic-UDI: 40155440110GP

Additional information disposable gloves

Thickness fingertips in mm ($\pm 10\%$)	0.08
Thickness palm in mm ($\pm 10\%$)	0.08
Thickness shaft in mm ($\pm 10\%$)	0.05
Tear strength (min.) in N	6
Elasticity (min.) in %	500

Classification

Product standards



Product properties

Quality level	4 of 8
oil and grease resistance	3 of 8
chemical resistance	4 of 8
Powdering	powder-free
material	nitrile
medical device-export Switzerland	Swiss authorised representative: Johner Medical Schweiz GmbH

Technical Datasheet

Nitrile gloves Safe Fit | powder-free



Art.no.: 26108

Basic-UDI: 40155440110GP

Packing

Type of inner packaging	cardboard
Type of outer packaging	cardboard
Quantity inner packing	200 piece
Quantity outer packing	2.000 piece
Quantity CCG1 pallet	72.000 piece
Quantity full pallet	162.000 piece
LxWxH outer packing in cm	39,0 x 24,5 x 22,0
Volume outer packing in m ³	0.021021
Weight outer packing in gr.	8.511

Additional information

Costums tariff number	4015120000
Country of origin	CN
EAN code outer packing	4015544961089
EAN code inner packing	4015544261080
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
 Subject to change without notice, no warranty for misprints or errors.