

Technical Datasheet

Nitrile gloves Safe Long | powder-free

HYGO STAR

Art.no.: 27003

Basic-UDI: 40155440110GP

Product image



Product specifications

- disposable gloves made of extra strong nitrile
- extended cuff provides additional protection of wrist
- robust, oil and grease resistant
- grippy due to textured surface, good tactile sensitivity
- resistant against chemicals and solvents
- powder-free, rolled cuff, non-sterile, ambidextrous fit

Area of application

- for industry, foodstuff and medical purposes

Specification

Colour	white
Size	10/XL
Length	30cm

Technical Datasheet

Nitrile gloves Safe Long | powder-free

HYGO STAR

Art.no.: 27003

Basic-UDI: 40155440110GP

Additional information disposable gloves

Thickness fingertips in mm ($\pm 10\%$)	0.14
Thickness palm in mm ($\pm 10\%$)	0.1
Thickness shaft in mm ($\pm 10\%$)	0.08
Tear strength (min.) in N	6
Elasticity (min.) in %	500

Classification

Product standards



Product properties

Quality level	6 of 8
oil and grease resistance	5 of 8
chemical resistance	5 of 8
Powdering	powder-free
material	nitrile
medical device-export Switzerland	Swiss authorised representative: Johner Medical Schweiz GmbH

Technical Datasheet

Nitrile gloves Safe Long | powder-free

HYGO STAR

Art.no.: 27003

Basic-UDI: 40155440110GP

Packing

Type of inner packaging	cardboard
Type of outer packaging	cardboard
Quantity inner packing	100 piece
Quantity outer packing	1.000 piece
Quantity CCG1 pallet	27.000 piece
Quantity full pallet	72.000 piece
LxWxH outer packing in cm	34,0 x 26,5 x 26,5
Volume outer packing in m ³	0.0238765
Weight outer packing in gr.	8.015

Additional information

Costums tariff number	4015120000
Country of origin	CN
EAN code outer packing	4015544970036
EAN code inner packing	4015544270037
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.