# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Trade name

Purina Multi Kleen Tab Pro

#### UFI code

CR03-1NXS-P07M-G7FP

## 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Tab-Concentrate for Kitchen Cleaning for professional users.

#### Not suitable for use in

All other uses are discouraged.

## 1.3. Details of the supplier of the safety data sheet

#### Supplier

KLEEN PURGATIS GmbH

Street address

Dieselstraße 10

32120 Hiddenhausen

Germany

## Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

### Contact person

Regulatory Affairs

#### Email address

info@kleen-purgatis.de

## 1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

#### Available outside office hours

Yes

# Purina Multi Kleen Tab Pro

Version number: 3.0 Issued:

2023-06-23 Replaces SDS: 2023-04-28



#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

#### **Classification**

Eye irritation, hazard category 2

Skin irritation, hazard category 2

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation

## **Hazard statements**

H315, H319, H335

#### Supplemental hazard statements

**EUH208** 

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

## **Hazard pictograms**



#### Signal word

Warning

#### Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

## Supplemental hazard statements

EUH208 Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### **More information**

Hazard components for labeling: citric acid

#### 2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

## Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
sodium carbonate	497-19-8 207-838-8 01-2119485498- 19-xxxx 011-005-00-2	50 - 70%	Eye Irrit. 2	H319 - -	-
citric acid	77-92-9 201-069-1 01-2119457026- 42-xxxx	20 - 30%	Eye Irrit. 2, STOT SE 3 - resp. tract irrit.	H319, H335 - -	-
oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block	196823-11-7 677-779-4 -	1 - <5%	Eye Irrit. 2	H319 - -	-
disodium metasilicate	6834-92-0 229-912-9 01-2119449811- 37-xxxx 014-010-00-8	1 - <3%	Skin Corr. 1B, STOT SE 3 - resp. tract irrit.	H314, H335 - -	-

## Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **Description of first aid measures**

First responders: Pay attention to self-protection.

### **Inhalation**

Not applicable.

## Skin contact

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

## Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

## Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



#### **Ingestion**

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Consult a physician if necessary.

#### Information for doctors

Show this safety data sheet to the doctor in attendance.

## 4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

#### Inhalation

Not applicable.

#### Skin contact

Skin irritation

#### Eye contact

Eye irritation

#### **Ingestion**

Stomach/intestinal disorders

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

foam, carbon dioxide, dry powder or water fog

## Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

#### Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product.

# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Dispose of as hazardous waste in compliance with local and national regulations.

#### 6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

#### General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from children. Store in a place accessible by authorized persons only. Keep away from food, drink and animal feeding stuffs. Keep in a dry, cool place.

Storage class according to TRGS 510: 13 (non-combustible solids)

Store in original container.

Storage temperature: 10°C to 40°C

#### 7.3. Specific end use(s)

GISCODE: GU70

See section 1.2: Tab-Concentrate for Kitchen Cleaning

# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **DNEL/DMEL**

Product/Substance name (CAS No./EC No.)	Туре	Exposure	Value	Population	Effects
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	10 mg/m³	Workers	Local
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	5 mg/m³	Consumers	Local
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Inhalation	6.22 mg/m³	Workers	Systemic
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Dermal	1.49 mg/kg	Workers	Systemic
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Inhalation	1.55 mg/m³	Consumers	Systemic
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Dermal	740 μg/kg bw/day	Consumers	Systemic
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Oral	740 μg/kg bw/day	Consumers	Systemic

## PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
citric acid (77-92-9/201-069-1)	PNEC	Freshwater	0.44 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Marine water	0.044 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Sewage Treatment Plant	1000 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Sediment (freshwater)	34.6 mg/kg
citric acid (77-92-9/201-069-1)	PNEC	Sediment (marine water)	3.46 mg/kg
citric acid (77-92-9/201-069-1)	PNEC	Soil	33.1 mg/kg
disodium metasilicate (6834-92-0/229-912-9)	PNEC	Freshwater	7.5 mg/l
disodium metasilicate (6834-92-0/229-912-9)	PNEC	Intermittent releases (freshwater)	7.5 mg/l

# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
disodium metasilicate (6834-92-0/229-912-9)	PNEC	Marine water	1 mg/l
disodium metasilicate (6834-92-0/229-912-9)	PNEC	Sewage Treatment Plant	1 g/l

## 8.2. Exposure controls

## Appropriate engineering controls

Not required.

## Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

### **Hand protection**

Chemical-resistant protective gloves (EN 374)

#### Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

#### Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

## Thermal hazards

Not applicable.

## Environmental exposure controls

No special environmental precautions required.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

### Physical state

Tablet

## **Colour**

Yellow

### <u>Odour</u>

Fresh scent

#### Odour threshold

Not determined for the mixture.

# Purina Multi Kleen Tab Pro

Version number: 3.0

**Issued:** 2023-06-23 **Replaces SDS:** 2023-04-28



## Melting point / freezing point

Not applicable.

## Boiling point or initial boiling point and boiling range

Not applicable.

### **Flammability**

Not applicable.

## Lower and upper explosion limit

The product / mixture has no explosive properties.

## Flash point

No data available

### **Auto-ignition temperature**

Not applicable.

## **Decomposition temperature**

Not determined for the mixture.

#### <u>рН</u>

10

#### Method

1 % aqueous solution

#### Kinematic viscosity

Not applicable.

## Viscosity, dynamic

Not applicable.

## **Solubility**

Water soluble

## Water solubility

completely soluble

### Partition coefficient n-octanol/water

Not determined for the mixture.

## Vapour pressure

Not applicable.

### **Density and/or relative density**

Not determined for the mixture.

#### Relative density

Not determined for the mixture.

# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-2

 Replaces SDS:
 2023-04-2

: 3.0 2023-06-23 2023-04-28

## Relative vapour density

Not applicable.

## **Evaporation Rate**

Not applicable.

#### **Explosive properties**

The product / mixture has no explosive properties.

## Oxidising properties

The product / mixture has no oxidizing properties.

#### VOC %

< 3 %

#### Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

#### 9.2. Other information

Conductivity: 6,7 mS/cm 1 % aqueous solution

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None under normal use.

## 10.2. Chemical stability

Stable at normal conditions

#### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Protect from moisture.

Protect from frost.

## 10.5. Incompatible materials

Oxidizing agent, strong acids and strong bases

#### 10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

 $\label{thm:local_equation} \mbox{Hazardous decomposition products formed under fire conditions}.$ 

# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 <u>Acute toxicity</u>

Based on the available data, the classification criteria are not met.

Toxicology data for the components:

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
citric acid 77-92-9 / 201- 069-1	LD50	5.400 mg/kg	Oral	-	mouse	OECD 401	ECHA
citric acid 77-92-9 / 201- 069-1	LD50	>2.000 mg/kg	Dermal	-	rat	OECD 402	ECHA
sodium car- bonate 497-19-8 / 207-838-8	LD50	2.800 mg/kg	Oral	-	rat	-	-
sodium car- bonate 497-19-8 / 207-838-8	LD50	>2.000mg/kg	Dermal	-	rabbit	-	-
sodium car- bonate 497-19-8 / 207-838-8	LC50	2.300 mg/m³	Inhalativ	2h	rat	-	-
oxirane, methyl-, poly- mer with oxir- ane, monoiso- tridecyl ether, block 196823-11-7 / 677-779-4	LD50	> 2.000 mg/kg	Oral	-	rat	OECD 423	-
disodium metasilicate 6834-92-0 / 229-912-9	LD50	1.150 - 1.350mg/kg 770 - 820 mg/kg	Oral	-	rat mouse	-	-

## Skin corrosion/irritation

Skin irritation, hazard category 2 Causes skin irritation.

## Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



#### Serious eye damage/irritation

Eye irritation, hazard category 2 Causes serious eye irritation.

### Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

## Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

#### Genotoxicity

Based on the available data, the classification criteria are not met.

#### Carcinogenicity

Based on the available data, the classification criteria are not met.

### Reproductive toxicity

Based on the available data, the classification criteria are not met.

## STOT-single exposure

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation May cause respiratory irritation.

#### STOT-repeated exposure

Based on the available data, the classification criteria are not met.

## Aspiration hazard

Based on the available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
disodium metas- ilicate 6834-92-0 / 229- 912-9	LC50	210 mg/l	96h	Brachydanio rerio	-	-
citric acid	LC50	440 mg/l	48 h	Leuciscus idus	OECD 203	ECHA

# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
77-92-9 / 201- 069-1						
sodium carbon- ate 497-19-8 / 207- 838-8	LC50	300 mg/l	96h	Lepomis mac- rochirus	-	-
oxirane, methyl-, polymer with oxirane, mon- oisotridecyl ether, block 196823-11-7 / 677-779-4	LC50	>1 - 10 mg/l	96h	Brachydanio rerio	OECD 203	-

## Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
disodium metasilicate 6834-92-0 / 229-912-9	EC50	207 mg/l	72h	Chlorella pyrenoidosa

## Acute crustacean toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of expos- ure	Species	Remark
citric acid 77-92-9 / 201-069-1	LC50	1.535 mg/l	24 h	Daphnia magna	ECHA
sodium carbonate 497-19-8 / 207-838- 8	EC50	200-227 mg/l	48h	Ceriodaphnia dubia	-
disodium metasilic- ate 6834-92-0 / 229- 912-9	EC50	1.700 mg/l	48h	Daphnia magna	-

## Micro-/macro organism toxicity

## Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of expos- ure	Species	Method / Guideline
oxirane, methyl-, polymer with oxir- ane, monoisotri- decyl ether, block 196823-11-7 / 677- 779-4	EC20	>10 - 100 mg/l	30 min	Activated sludge	OECD 209
disodium metasilic- ate 6834-92-0 / 229- 912-9	EC50	>100 mg/l	3h	Bacteria (activated sludge)	-

#### 12.2. Persistence and degradability

#### Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

## 12.3. Bioaccumulative potential

#### **Bioaccumulative potential**

No information available.

## 12.4. Mobility in soil

#### **Mobility**

No information available

#### 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

#### 12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

#### 12.7. Other adverse effects

## Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

# Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



#### Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging: Dispose of as unused product.

Waste code	Waste description	
20 01 29*	detergents containing hazardous substances	

Please note - an asterisk (\*) next to a code denotes that it is HAZARDOUS WASTE.

## **SECTION 14: Transport information**

#### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

## 14.2. UN proper shipping name

#### ADR / RID / ADN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

#### 14.3. Transport hazard class(es)

## <u>Labe</u>l

Not classified as dangerous in the meaning of transport regulations.

## 14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

#### 14.5. Environmental hazards

#### Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

## 14.6. Special precautions for user

## Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

#### Other

Not applicable

## Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5% non-ionic surfactants, phosphonates, polycarboxylates . Contains: perfumes , preservation agents , METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE.

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable Substances on the REACH candidate list (SVHC): not applicable

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EU) No. 528/2012 (BPR) Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

#### National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

## 15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

## **SECTION 16: Other information**

## Changes to previous revision

Adjustment of the product formulation (see section 3).

Classification and labelling

## Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR - Accord relatif au transport international des marchandises Dangereuses par Route

## Purina Multi Kleen Tab Pro

 Version number:
 3.0

 Issued:
 2023-06-23

 Replaces SDS:
 2023-04-28



CAS - Chemical Abstract Service

CLP - Classification, Labelling and Packaging

DMEL - Derived Minimum Effect Level

DNEL - Derived no effect level

EC50 - Half maximal effective concentration 50%

GHS - Globally Harmonised System

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Lethal concentration 50%

LD50 - Lethal dosis 50 %

MARPOL - International Convention for the Prevention of Pollution from Ships

PBT - Persistent, bioaccumulative and toxic substance

PEC - Predicted Environmental Concentration

PNEC - predicted no effect concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses

SVHC - Substance of very high concern

vPvB - Very persistent, very bioaccumulative substance

#### References to key literature and data sources

**REACH registration dossiers** 

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

#### Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:

Health hazards: calculation method

#### Phrase meaning

Skin Irrit. 2 - Skin irritation, hazard category 2

Eye Irrit. 2 - Eye irritation, hazard category 2

STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation

Skin Corr. 1B - Skin corrosion, hazard category 1B

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

EUH208 Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

#### **Additional information**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

## Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.