

Technical Datasheet

Nitrile gloves Control | powdered

Art.no.: 2600

HYGO STAR

Product image



Product specifications

- disposable gloves made of strong nitrile
- grippy due to textured surface
- elastic, high wearing comfort
- oil and grease resistant, free of latex-allergy causing proteins
- powdered, rolled cuff, non-sterile, ambidextrous fit
- benefit of powder: easier to put on gloves with wet hands

Area of application

- for food industry, gastronomy and industry

Specification

Colour	blue
Size	10/XL
Length	24cm

Additional information disposable gloves

Thickness fingertips in mm ($\pm 10\%$)	0.11
Thickness palm in mm ($\pm 10\%$)	0.1
Thickness shaft in mm ($\pm 10\%$)	0.07
Tear strength (min.) in N	6
Elasticity (min.) in %	500

Technical Datasheet

Nitrile gloves Control | powdered

Art.no.: 2600

HYGO STAR

Classification

Product standards



Product properties

Quality level	5 of 8
oil and grease resistance	5 of 8
chemical resistance	5 of 8
material	nitrile
Powdering	powdered

Packing

Type of inner packaging	cardboard
Type of outer packaging	cardboard
Quantity inner packing	100 piece
Quantity outer packing	1.000 piece
Quantity CCG1 pallet	44.000 piece
Quantity full pallet	99.000 piece
LxWxH outer packing in cm	31,0 x 24,5 x 22,0
Volume outer packing in m ³	0.016709
Weight outer packing in gr.	6.096

Additional information

Costums tariff number	4015120000
Country of origin	MY
EAN code outer packing	4015544960006
EAN code inner packing	4015544260007
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

Updated 27.09.2023

Page 2/3

Franz Mensch GmbH
Werner-von-Siemens-Str. 2
86807 Buchloe, Germany

www.franz-mensch.de/en

Contact us at:

Phone: +49 8241 9633-0
Fax: +49 8241 9633-100
E-mail: verkauf@franz-mensch.de

Franz Mensch is an FSC®-certified and ISO certified company.

FSC® certification no.: SGSC-COC-050190
ISO 9001:2015

Technical Datasheet

Nitrile gloves Control | powdered

HYGOSTAR

Art.no.: 2600

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.