

Technical Datasheet

Nitrile gloves Extra Safe | powder-free

HYGOSTAR

Art.no.: 270068

Basic-UDI: 40155440110GP

Product image



Product specifications

- disposable gloves made of extra strong nitrile
- elastic, very robust and durable
- suitable for heavy duty use and long operating times
- extra grippy due to textured surface
- resistant against chemical and biological dangers
- oil and grease resistant

Area of application

- for food processing, laboratory, industry and medical purposes

Specification

Colour	black
Size	10/XL
Length	24cm

Technical Datasheet

Nitrile gloves Extra Safe | powder-free

HYGO STAR

Art.no.: 270068


Basic-UDI: 40155440110GP

Additional information disposable gloves

Thickness fingertips in mm ($\pm 10\%$)	0.15
Thickness palm in mm ($\pm 10\%$)	0.11
Thickness shaft in mm ($\pm 10\%$)	0.09
Tear strength (min.) in N	6
Elasticity (min.) in %	500

Classification

Product standards



Product properties

Quality level	7 of 8
oil and grease resistance	6 of 8
chemical resistance	8 of 8
Powdering	powder-free
material	nitrile
medical device-export Switzerland	Swiss authorised representative: Johner Medical Schweiz GmbH

Technical Datasheet

Nitrile gloves Extra Safe | powder-free

HYGO STAR

Art.no.: 270068

Basic-UDI: 40155440110GP

Packing

Type of inner packaging	cardboard
Type of outer packaging	cardboard
Quantity inner packing	100 piece
Quantity outer packing	1.000 piece
Quantity CCG1 pallet	22.000 piece
Quantity full pallet	59.000 piece
LxWxH outer packing in cm	37,0 x 25,5 x 24,5
Volume outer packing in m ³	0.02311575
Weight outer packing in gr.	9.950

Additional information

Costums tariff number	4015120000
Country of origin	MY
EAN code outer packing	4015544904819
EAN code inner packing	4015544710175
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.