

Technical Datasheet

Nitrile gloves Power Grip | powder-free

Art.no.: 270818

HYGO STAR

Product image



Product specifications

- **secure grip in wet conditions, oil and grease**
- **precise fitting and sensitivity** at the same time
- premium disposable gloves, extra strong nitrile
- **against slipping: fish scale structure on both sides**
- elastic, very robust and durable
- resistant against biological hazards
- oil and grease resistant

Area of application

- for industry, assembly, gastronomy and food processing

Specification

| | |
|--------|-------|
| Colour | black |
| Size | 9/L |
| Length | 24cm |

Technical Datasheet

Nitrile gloves Power Grip | powder-free

Art.no.: 270818

HYGO STAR

Additional information disposable gloves

| | |
|---|------|
| Thickness fingertips in mm ($\pm 10\%$) | 0.2 |
| Thickness palm in mm ($\pm 10\%$) | 0.14 |
| Thickness shaft in mm ($\pm 10\%$) | 0.11 |
| Tear strength (min.) in N | 6 |

Classification

Product standards



Product properties

| | |
|---------------------------|-------------|
| Quality level | 7 of 8 |
| oil and grease resistance | 6 of 8 |
| chemical resistance | 8 of 8 |
| Powdering | powder-free |
| material | nitrile |

Technical Datasheet

Nitrile gloves Power Grip | powder-free

Art.no.: 270818

HYGO STAR

Packing

| | |
|--|--------------------|
| Type of inner packaging | cardboard |
| Type of outer packaging | cardboard |
| Quantity inner packing | 50 piece |
| Quantity outer packing | 500 piece |
| Quantity CCG1 pallet | 18.000 piece |
| Quantity full pallet | 48.000 piece |
| LxWxH outer packing in cm | 29,0 x 25,5 x 24,7 |
| Volume outer packing in m ³ | 0.01826565 |
| Weight outer packing in gr. | 4.900 |

Additional information

| | |
|------------------------|------------------------------|
| Costums tariff number | 4015120000 |
| Country of origin | MY |
| EAN code outer packing | 4015544911268 |
| EAN code inner packing | 4015544714036 |
| Minimum shelf life | 5 years from production date |

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.