

## Technical Datasheet

Nitrile gloves Power Grip Long | powder-free

Art.no.: 270985

**HYGO STAR**

### Product image



### Product specifications

- disposable gloves made of extra strong nitrile
- **double-sided texture, firm grip when used in wet conditions, with oil and grease**
- extended cuff provides additional protection of wrist, 30 cm
- fishscale-texture
- elastic, very robust and durable
- resistant against biological dangers

### Area of application


- for industry, assembly, gastronomy and food processing

### Specification

Colour	orange
Size	12/XXXL
Length	30cm

### Classification

Product standards



Updated 03.05.2024

Page 1/3

Franz Mensch GmbH  
Werner-von-Siemens-Str. 2  
86807 Buchloe, Germany  
[www.franz-mensch.de/en](http://www.franz-mensch.de/en)

Contact us at:  
Phone: +49 8241 9633-0  
Fax: +49 8241 9633-100  
E-mail: [verkauf@franz-mensch.de](mailto:verkauf@franz-mensch.de)

Franz Mensch is an FSC®-certified and ISO certified company.

FSC® certification no.: SGSCH-COC-050190  
ISO 9001:2015

# Technical Datasheet

Nitrile gloves Power Grip Long | powder-free

Art.no.: 270985

**HYGO STAR**

## Product properties

Quality level	7 of 8
oil and grease resistance	6 of 8
chemical resistance	8 of 8
Powdering	powder-free
material	nitrile

## Packing

Type of inner packaging	cardboard
Type of outer packaging	cardboard
Quantity inner packing	50 piece
Quantity outer packing	500 piece
Quantity CCG1 pallet	11.000 piece
Quantity full pallet	25.000 piece
LxWxH outer packing in cm	36,0 x 26,0 x 28,0
Volume outer packing in m <sup>3</sup>	0.026208
Weight outer packing in gr.	6.800

## Additional information

Costums tariff number	4015120000
Country of origin	TH
EAN code outer packing	5391505819705
EAN code inner packing	5391505819644
Minimum shelf life	5 years from production date

Updated 03.05.2024

Page 2/3

## Technical Datasheet

Nitrile gloves Power Grip Long | powder-free

Art.no.: 270985

**HYGO**STAR

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.  
Subject to change without notice, no warranty for misprints or errors.