

Technical Datasheet

Cold protection gloves Cold Protect | HBT® vinyl coating

Art.no.: 332821

Product image



Product specifications

- carrier material: polyamide fine knit, with knitted cuff
- coating: HPT® vinyl coating on palm and 3/4 of back side
- warm acrylic lining, anti vibration effect
- oil and grease resistant, secure grip
- 10 gauge, abrasion-resistant
- good fit, comfortable wearing comfort

Area of application


- for construction industry, locksmithery and workshops, waste management and recycling, agriculture and forestry, horticulture

Specification

Colour	black
Size	11/XXL
Length	27cm

Classification

Product standards



Updated 18.04.2024

Page 1/3

Franz Mensch GmbH
Werner-von-Siemens-Str. 2
86807 Buchloe, Germany
www.franz-mensch.de/en

Contact us at:
Phone: +49 8241 9633-0
Fax: +49 8241 9633-100
E-mail: verkauf@franz-mensch.de

Franz Mensch is an FSC®-certified and ISO certified company.

FSC® certification no.: SGSCH-COC-050190
ISO 9001:2015

Technical Datasheet

Cold protection gloves Cold Protect | HBT® vinyl coating

Art.no.: 332821

Product properties

Quality level	6 of 8
oil and grease resistance	6 of 8
tear strength	3 of 8
abrasion resistance	6 of 8
chemical resistance	6 of 8
material	Polyamide
material	vinyl

Packing

Type of inner packaging	PE
Type of outer packaging	cardboard
Quantity inner packing	6 pair
Quantity outer packing	60 pair
Quantity CCG1 pallet	600 pair
Quantity full pallet	1.440 pair
LxWxH outer packing in cm	50,0 x 34,0 x 32,0
Volume outer packing in m ³	0.0544
Weight outer packing in gr.	9.500
Costums tariff number	6116108000
Country of origin	PK
EAN code outer packing	4015544905311
Minimum shelf life	5 years from production date

Updated 18.04.2024

Page 2/3

Technical Datasheet

Cold protection gloves Cold Protect | HBT® vinyl coating

Art.no.: 332821

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.