

## Technical Datasheet

Cut protection gloves Cut Safe 3/4-coating | PU coating

Art.no.: 336292

**HYGO STAR**

### Product image



### Product specifications

- carrier material: HPPE fine knit (High Pressure Polyethylene), glass fibre, with knitted cuff
- coating: polyurethane coating on palm and 3/4 of back side
- cut-resistance level F
- tightly knitted, very abrasion-resistant
- good dry grip, good wearing comfort, breathable

### Area of application

- for metal and glass industry, automotive manufacturing, electronic devices

### Specification

Colour	black
Size	9/L
Length	25cm

### Classification

Product standards



Updated 10.04.2024

Page 1/3

Franz Mensch GmbH  
Werner-von-Siemens-Str. 2  
86807 Buchloe, Germany  
[www.franz-mensch.de/en](http://www.franz-mensch.de/en)

Contact us at:  
Phone: +49 8241 9633-0  
Fax: +49 8241 9633-100  
E-mail: [verkauf@franz-mensch.de](mailto:verkauf@franz-mensch.de)

Franz Mensch is an FSC®-certified and ISO certified company.

FSC® certification no.: SGSCH-COC-050190  
ISO 9001:2015

# Technical Datasheet

Cut protection gloves Cut Safe 3/4-coating | PU coating

Art.no.: 336292

**HYGO STAR**

## Product properties

Quality level	8 of 8
tear strength	8 of 8
abrasion resistance	4 of 8
chemical resistance	6 of 8
material	PU
Properties	air-permeable
material	PE

## Packing

Type of inner packaging	PE
Type of outer packaging	cardboard
Quantity inner packing	10 pair
Quantity outer packing	100 pair
Quantity CCG1 pallet	1.500 pair
Quantity full pallet	3.000 pair
LxWxH outer packing in cm	42,0 x 31,0 x 38,0
Volume outer packing in m <sup>3</sup>	0.049476
Weight outer packing in gr.	6.306

# Technical Datasheet

Cut protection gloves Cut Safe 3/4-coating | PU coating

Art.no.: 336292

**HYGO STAR**

## Additional information

Costums tariff number	6116108000
Country of origin	CN
EAN code outer packing	4015544934823
EAN code inner packing	4015544334821
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.  
Subject to change without notice, no warranty for misprints or errors.