

Technical Datasheet

Fine knit gloves Ultra Flex Hand 3/4-coated | PU coating

Art.no.: 338152

HYGO STAR

Product image



Product specifications

- carrier material: nylon fine knit, with knitted cuff
- coating: PU coating on palm and 3/4 of back side
- excellent tactile sensitivity, for precise work
- 13 gauge, good dry grip, abrasion-resistant
- comfortable wearing comfort, very good fit, very flexible

Area of application

- for craft, construction industry, fair construction, automotive industry, engineering, steel industry, glass industry, agricultural industry

Specification

| | |
|--------|-------|
| Colour | white |
| Size | 8/M |
| Length | 24cm |

Classification

Product standards



Updated 17.04.2024

Page 1/3

Franz Mensch GmbH
 Werner-von-Siemens-Str. 2
 86807 Buchloe, Germany
 www.franz-mensch.de/en

Contact us at:
 Phone: +49 8241 9633-0
 Fax: +49 8241 9633-100
 E-mail: verkauf@franz-mensch.de

Franz Mensch is an FSC®-certified and ISO certified company.

FSC® certification no.: SGSCH-COC-050190
 ISO 9001:2015

Technical Datasheet

Fine knit gloves Ultra Flex Hand 3/4-coated | PU coating

Art.no.: 338152

HYGO STAR

Product properties

| | |
|---------------------|---------------|
| Properties | air-permeable |
| Quality level | 6 of 8 |
| tear strength | 2 of 8 |
| abrasion resistance | 3 of 8 |
| material | Nylon |
| material | PU |

Packing

| | |
|--|--------------------|
| Type of inner packaging | PE |
| Type of outer packaging | cardboard |
| Quantity inner packing | 12 pair |
| Quantity outer packing | 120 pair |
| Quantity CCG1 pallet | 5.760 pair |
| Quantity full pallet | 5.760 pair |
| LxWxH outer packing in cm | 55,0 x 25,0 x 22,0 |
| Volume outer packing in m ³ | 0.03025 |
| Weight outer packing in gr. | 3.535 |

Technical Datasheet

Fine knit gloves Ultra Flex Hand 3/4-coated | PU coating

Art.no.: 338152

HYGO STAR

Additional information

| | |
|------------------------|------------------------------|
| Costums tariff number | 6116108000 |
| Country of origin | CN |
| EAN code outer packing | 4015544934953 |
| EAN code inner packing | 4015544334951 |
| Minimum shelf life | 5 years from production date |

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.