

Technical Datasheet

Fine knit gloves Ultra Light | PU coating

Art.no.: 339350

HYGO STAR

Product image



Product specifications

- carrier material: nylon fine knit, with knitted cuff
- coating: breathable 1/4 polyurethane coating on palm and fingertips
- 18 gauge, abrasion-resistant, elastic
- very good tactile sensitivity for precise work
- secure dry grip, ideal wearing comfort

Area of application

- for craft, construction industry, fair construction, automotive industry, engineering, steel industry, glass industry, agricultural industry

Specification

Colour	blue-black
Size	8/M
Length	24cm

Classification

Product standards



Updated 16.04.2024

Page 1/3

Franz Mensch GmbH
 Werner-von-Siemens-Str. 2
 86807 Buchloe, Germany

www.franz-mensch.de/en

Contact us at:
 Phone: +49 8241 9633-0
 Fax: +49 8241 9633-100
 E-mail: verkauf@franz-mensch.de

Franz Mensch is an FSC®-certified and ISO certified company.

FSC® certification no.: SGSCH-COC-050190
 ISO 9001:2015

Technical Datasheet

Fine knit gloves Ultra Light | PU coating

Art.no.: 339350

HYGO STAR

Product properties

Properties	air-permeable
Quality level	4 of 8
tear strength	2 of 8
abrasion resistance	1 of 8
material	PU
material	Nylon

Packing

Type of inner packaging	PE
Type of outer packaging	cardboard
Quantity inner packing	12 pair
Quantity outer packing	120 pair
Quantity CCG1 pallet	2.160 pair
Quantity full pallet	5.760 pair
LxWxH outer packing in cm	56,5 x 26,5 x 24,0
Volume outer packing in m ³	0.035934
Weight outer packing in gr.	2.655

Technical Datasheet

Fine knit gloves Ultra Light | PU coating

Art.no.: 339350

HYGO STAR

Additional information

Costums tariff number	6116108000
Country of origin	CN
EAN code outer packing	4015544905649
EAN code inner packing	4015544714388
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.