

Technical Datasheet

HYGO STAR | Item.-no.: 270908

Nitrile gloves Power Grip Long | powder-free

Product image



Product specifications

- disposable gloves made of extra strong nitrile
- double-sided texture, firm grip when used in wet conditions, with oil and grease
- extended cuff provides additional protection of wrist, 30 cm
- fishscale-texture, elastic, very robust and durable
- resistant against biological dangers, oil and grease resistant
- powder-free, rolled cuff, non-sterile, ambidextrous fit

Area of use

- for industry, assembly, gastronomy and food processing

Specification

| | |
|--------------|--------|
| Packing unit | Carton |
| Colour | Black |
| Size | 10/XL |
| Length | 30cm |

Technical Datasheet

HYGO STAR | Item.-no.: 270908

Nitrile gloves Power Grip Long | powder-free

Classification

| | |
|-------------------|---|
| product standards | CE 0465 PSA VO (EU) 2016-425 CAT 3 food safe EN 420 EN 374-5:2016 (without virus) EN 374-1:2016 Type B GKLMT |
|-------------------|---|

Product properties

| | |
|---------------------------|---------|
| Quality level | 7 of 8 |
| oil and grease resistance | 6 of 8 |
| chemical resistance | 8 of 8 |
| powder-free | yes |
| material | nitrile |

Packing

| | |
|----------------------------------|--------------------|
| Type of inner packaging | Cardboard |
| Type of outer packaging | Cardboard |
| quantity inner packing | 50 |
| quantity outer packing | 500 |
| quantity per CCG1 | 13.500 |
| quantity per pallet | 31.500 |
| LxWxH outer packing in cm | 36,0 x 26,0 x 28,0 |
| volume in m³ outer packing | 0.026208 |
| gross weight outer packing in gr | 4.759 |

Additional Informations

| | |
|--------------------|------------|
| costums tariff no. | 4015110000 |
| country of origin | MY |

Updated 14.09.2021

Page 2/3

Technical Datasheet

HYGO STAR | Item.-no.: 270908

Nitrile gloves Power Grip Long | powder-free

| | |
|------------------------|---------------|
| EAN code inner packing | 4015544714081 |
| EAN code outer packing | 4015544911312 |
| shelf life | 5 years |

If you need further details, please contact the support!

The technical informations are average production results and may vary from case to case
Subject to technical modifications, no responsibility is accepted for the accuracy of this information.